



CERTIFICATE OF PACKAGING PERFORMANCE

Issued on behalf of the Department for Transport, Civil Aviation Authority and the Maritime and Coastguard Agency by the VCA Dangerous Goods Office

Cleeve Road, Leatherhead, Surrey KT22 7NF England
Telephone: +44 (0) 1372 226 111
Fax: +44 (0) 1372 226 116
www.vca.gov.uk
Registered Number: 385209
England Limited Liability.



Certificate serial number: 3965
Issue number and date: 03 29/10/2007

NOT TRANSFERABLE

Application No.: 4992

Issued to: EGBERT H. TAYLOR & COMPANY LTD
Oakpark
Ryelands Lane
Elmley Lovett
Worcestershire
WR9 0QZ

Packaging type: 50A Description:
Large rigid packaging, steel

Capacity: 760 litres Tare: 86.75 No of Entry Points: 4 Top Lift: Yes
length: 0 width: 0 Height: 0

Contents: Tested with filled UN certified clinical waste sacks and sharps containers

760 litre galvanised steel mobile waste container with four 200mm diameter castor wheels. Rectangular steel body with fully welded seams with a lifting bar along the top of one long side and optional DIN lifting points welded or bolted on either end. Full aperture plastics lid hinged along long side with single centrally positioned locking point on opposite side to hinge. Certificate is deemed to cover any properly filled and closed UN certified clinical waste sack or sharps container. Container commercial id: CONTINENTAL 820.

SpecialNotes:

It is certified that a sample of the design type described above has been tested in accordance with the provisions of the United Nations Recommendations on the Transport of Dangerous Goods, Chapter 6.6 (and the equivalent provisions in RID/ADR and the IMDG Code) and appropriate paragraphs from 6.6.5.3.1 to 6.6.5.3.4 and successfully met the criteria. Large packagings of the design type tested may bear the marking:

UN 50A/Y/ **/GB/TAYLOR - 3965/0/420**

** ** To be replaced by the month and the last two digits of the year of manufacture

THE TEST REPORT(S) AND ITS APPENDICES ARE AN INTEGRAL PART OF THIS DOCUMENT

Large packagings of the design type described may be used for solids, inner packagings or articles. IBCs of the design type described may be used for inner packagings.

DROP HEIGHT (m)	1.2	packaging group	relative density (d)	gross mass (kg)
STACK HEIGHT	0 High	I	-	-
		II	-	420
		III	-	420

Date of expiry: 31/12/ 2012

Signed:

Keith F.B. White

R M Castle, Chief Officer (Dangerous Goods)